



**NELAC PT for Accreditation**  
**Fields of Proficiency Testing with PTRLs**  
**Solid and Chemical Materials**  
**Effective: October 1 , 2020**

Blue = New Analyte

Magenta = Changes

Matrix	EPA Analyte Code	NELAC Analyte Code	CAS Number	Analyte <sup>1,2</sup>	Conc Range	Acceptance Criteria <sup>3,4,5,6</sup>				NELAC PTRL <sup>7</sup>
						a	b	c	d	
<b>Trace Metals</b>										
					mg/kg					mg/kg
SOLIDS		1000	7429-90-5	Aluminum	2500 to 25000	Study Mean		0.1307	293.1966	250
SOLIDS		1005	7440-36-0	Antimony	80 to 300	Study Mean		0.4385	8.1700	8.0
SOLIDS		1010	7440-38-2	Arsenic	40 to 400			Study Mean ± 30%		4.0
SOLIDS		1015	7440-39-3	Barium	100 to 1000			Study Mean ± 25%		10
SOLIDS		1020	7440-41-7	Beryllium	40 to 400			Study Mean ± 25%		4.0
SOLIDS		1025	7440-42-8	Boron	80 to 800			Study Mean ± 40%		48
SOLIDS		1030	7440-43-9	Cadmium	40 to 400			Study Mean ± 25%		4.0
SOLIDS		1035	7440-70-2	Calcium	1500 to 25000	Study Mean		0.0730	87.3802	150
SOLIDS		1040	7440-47-3	Chromium	40 to 400			Study Mean ± 30%		4.0
SOLIDS		1045	18540-29-9	Chromium (VI)	40 to 300	Study Mean		0.1547	8.5460	4.0
SOLIDS		1050	7440-48-4	Cobalt	40 to 400			Study Mean ± 25%		4.0
SOLIDS		1055	7440-50-8	Copper	40 to 400			Study Mean ± 25%		4.0
SOLIDS		1070	7439-89-6	Iron	5000 to 50000	Study Mean		0.1102	1500.6038	500
SOLIDS		1075	7439-92-1	Lead	40 to 400	Study Mean		0.0791	1.9272	4.0
SOLIDS		1085	7439-95-4	Magnesium	1200 to 25000	Study Mean		0.0685	134.2111	120
SOLIDS		1090	7439-96-5	Manganese	100 to 2000	Study Mean		0.0639	6.3268	10
SOLIDS		1095	7439-97-6	Mercury	1 to 35			Study Mean ± 40%		0.10
SOLIDS		1100	7439-98-7	Molybdenum	30 to 300	Study Mean		0.0910	0.8106	3.0
SOLIDS		1105	7440-02-0	Nickel	40 to 500			Study Mean ± 30%		4.0
SOLIDS		1125	7440-09-7	Potassium	1400 to 25000	Study Mean		0.0878	98.8140	140
SOLIDS		1140	7782-49-2	Selenium	40 to 400	Study Mean		0.0935	2.2902	4.0
SOLIDS		1150	7440-22-4	Silver	20 to 100	Study Mean		0.0910	0.4587	2.0
SOLIDS		1155	7440-23-5	Sodium	150 to 15000	Study Mean		0.1043	15.0068	15
SOLIDS		1160	7440-24-6	Strontium	40 to 400	Study Mean		0.0846	0.9208	4.0
SOLIDS		1165	7440-28-0	Thallium	40 to 400	Study Mean		0.0785	3.0637	4.0
SOLIDS		1175	7440-31-5	Tin	50 to 250	Study Mean		0.1134	3.0560	5.0
SOLIDS		1185	7440-62-2	Vanadium	40 to 400	Study Mean		0.0618	4.6801	4.0
SOLIDS		1190	7440-66-6	Zinc	100 to 1000			Study Mean ± 30%		10



**NELAC PT for Accreditation**  
**Fields of Proficiency Testing with PTRLs**  
**Solid and Chemical Materials**  
**Effective: October 1 , 2020**

Blue = New Analyte

Magenta = Changes

Matrix	EPA Analyte Code	NELAC Analyte Code	CAS Number	Analyte <sup>1,2</sup>	Conc Range	Acceptance Criteria <sup>3,4,5,6</sup>				NELAC PTRL <sup>7</sup>
						a	b	c	d	
<b>Minerals</b>					mg/kg					mg/kg
SOLIDS		1540	24959-67-9	Bromide	10 to 100	Study Mean		0.0848	0.3989	1.0
SOLIDS		1575	16887-00-6	Chloride	200 to 1000	Study Mean		0.0892	5.3941	20
SOLIDS		1730	16984-48-8	Fluoride	25 to 500	Study Mean		0.1781	2.0366	2.5
SOLIDS		1810	NA	Nitrate as N	25 to 500	Study Mean		0.0676	2.4605	2.5
SOLIDS		2000	14808-79-8	Sulfate	25 to 2000	Study Mean		0.1354	5.1265	2.5
<b>Nutrients</b>					mg/kg					mg/kg
SOLIDS		1515	NA	Ammonia as N	300 to 3000	Study Mean		0.0931	39.0256	30
SOLIDS		1795	NA	Total Kjeldahl-Nitrogen (TKN)	400 to 4000	Study Mean		0.1361	21.2081	40
SOLIDS		1910	NA	Total Phosphorus	300 to 3000	Study Mean		0.2208	29.9538	30
<b>Misc Analytes</b>					mg/kg					mg/kg
SOLIDS		1625	NA	Corrosivity (pH)	2 to 12 units	± 0.6 units fixed acceptance limit				not applicable
SOLIDS		1645	NA	Total Cyanide	20 to 200	Study Mean		0.1701	2.0819	2.0
SOLVENT		1780	NA	Ignitability	100 to 200 °F	± 17 °F fixed acceptance limit				not applicable



**NELAC PT for Accreditation**  
**Fields of Proficiency Testing with PTRLs**  
**Solid and Chemical Materials**  
**Effective: October 1 , 2020**

Blue = New Analyte

Magenta = Changes

Matrix	EPA Analyte Code	NELAC Analyte Code	CAS Number	Analyte <sup>1,2</sup>	Conc Range	Acceptance Criteria <sup>3,4,5,6</sup>				NELAC PTRL <sup>7</sup>
						a	b	c	d	
<b>Volatil Aromatics <sup>1</sup></b>										
					<b>µg/kg</b>					<b>µg/kg</b>
SOLIDS		4375	71-43-2	Benzene	20 to 200	Assigned Value ±35% fixed acceptance limit				13
SOLIDS		4475	108-90-7	Chlorobenzene	20 to 200	Assigned Value ±50% fixed acceptance limit				10
SOLIDS		4610	95-50-1	1,2-Dichlorobenzene (o-Dichlorobenzene)	20 to 200	Assigned Value ±40% fixed acceptance limit				12
SOLIDS		4615	541-73-1	1,3-Dichlorobenzene (m-Dichlorobenzene)	20 to 200	Assigned Value ±40% fixed acceptance limit				12
SOLIDS		4620	106-46-7	1,4-Dichlorobenzene (p-Dichlorobenzene)	20 to 200	Assigned Value ±40% fixed acceptance limit				12
SOLIDS		4765	100-41-4	Ethylbenzene	20 to 200	Assigned Value ±40% fixed acceptance limit				12
SOLIDS		5005	91-20-3	Naphthalene	40 to 200	Assigned Value ±50% fixed acceptance limit				20
SOLIDS		5100	100-42-5	Styrene	40 to 200	Assigned Value ±35% fixed acceptance limit				26
SOLIDS		5140	108-88-3	Toluene	20 to 200	Assigned Value ±35% fixed acceptance limit				13
SOLIDS		5155	120-82-1	1,2,4-Trichlorobenzene	40 to 200	Assigned Value ±60% fixed acceptance limit				16
SOLIDS		5260	1330-20-7	Xylene (total) <sup>8</sup>	40 to 400	Assigned Value ±45% fixed acceptance limit				22
<b>Volatil Halocarbons <sup>1</sup></b>										
					<b>µg/kg</b>					<b>µg/kg</b>
SOLIDS		4395	75-27-4	Bromodichloromethane	20 to 200	Assigned Value ±40% fixed acceptance limit				12
SOLIDS		4400	75-25-2	Bromoform	20 to 200	Assigned Value ±45% fixed acceptance limit				11
SOLIDS		4455	56-23-5	Carbon tetrachloride	20 to 200	Assigned Value ±50% fixed acceptance limit				10
SOLIDS		4505	67-66-3	Chloroform	20 to 200	Assigned Value ±40% fixed acceptance limit				12
SOLIDS		4575	124-48-1	Chlorodibromomethane	20 to 200	Assigned Value ±40% fixed acceptance limit				12
SOLIDS		4570	96-12-8	1,2-Dibromo-3-chloropropane (DBCP)	40 to 200	Assigned Value ±50% fixed acceptance limit				10
SOLIDS		4585	106-93-4	1,2-Dibromoethane (EDB, Ethylene dibromide)	20 to 200	Assigned Value ±35% fixed acceptance limit				13
SOLIDS		4630	75-34-3	1,1-Dichloroethane	20 to 200	Assigned Value ±40% fixed acceptance limit				12
SOLIDS		4635	107-06-2	1,2-Dichloroethane (Ethylene dichloride)	20 to 200	Assigned Value ±40% fixed acceptance limit				12
SOLIDS		4640	75-35-4	1,1-Dichloroethylene	20 to 200	Assigned Value ±50% fixed acceptance limit				10
SOLIDS		4645	156-59-2	cis-1,2-Dichloroethylene	20 to 200	Assigned Value ±40% fixed acceptance limit				12
SOLIDS		4700	156-60-5	trans-1,2-Dichloroethylene	20 to 200	Assigned Value ±40% fixed acceptance limit				12
SOLIDS		4975	75-09-2	Methylene chloride (Dichloromethane)	20 to 200	Assigned Value ±50% fixed acceptance limit				10
SOLIDS		4655	78-87-5	1,2-Dichloropropane	20 to 200	Assigned Value ±35% fixed acceptance limit				13
SOLIDS		4680	10061-01-5	cis-1,3-Dichloropropene	20 to 200	Assigned Value ±40% fixed acceptance limit				12
SOLIDS		4685	10061-02-6	trans-1,3-Dichloropropylene	20 to 200	Assigned Value ±45% fixed acceptance limit				11
SOLIDS		5105	630-20-6	1,1,1,2-Tetrachloroethane	20 to 200	Assigned Value ±40% fixed acceptance limit				12
SOLIDS		5110	79-34-5	1,1,2,2-Tetrachloroethane	20 to 200	Assigned Value ±45% fixed acceptance limit				11
SOLIDS		5115	127-18-4	Tetrachloroethylene (Perchloroethylene)	20 to 200	Assigned Value ±50% fixed acceptance limit				10
SOLIDS		5160	71-55-6	1,1,1-Trichloroethane	20 to 200	Assigned Value ±45% fixed acceptance limit				11
SOLIDS		5165	79-00-5	1,1,2-Trichloroethane	20 to 200	Assigned Value ±30% fixed acceptance limit				14
SOLIDS		5170	79-01-6	Trichloroethene (Trichloroethylene)	20 to 200	Assigned Value ±40% fixed acceptance limit				12
SOLIDS		5180	96-18-4	1,2,3-Trichloropropane	20 to 200	Assigned Value ±50% fixed acceptance limit				12



**NELAC PT for Accreditation**  
**Fields of Proficiency Testing with PTRLs**  
**Solid and Chemical Materials**  
**Effective: October 1 , 2020**

Blue = New Analyte

Magenta = Changes

Matrix	EPA Analyte Code	NELAC Analyte Code	CAS Number	Analyte <sup>1,2</sup>	Conc Range	Acceptance Criteria <sup>3,4,5,6</sup>				NELAC PTRL <sup>7</sup>
						a	b	c	d	
<b>Volatile Ketone/Ethers <sup>1</sup></b>										
					µg/kg					µg/kg
SOLIDS		4315	67-64-1	Acetone	200 to 1000	0.8050	15.8965	0.2255	11.6574	20
SOLIDS		4410	78-93-3	2-Butanone (Methyl ethyl ketone, MEK)	100 to 500	0.9457	-5.6053	0.1832	7.9158	10
SOLIDS		4860	591-78-6	2-Hexanone	100 to 500	Assigned Value ±50% fixed acceptance limit				50
SOLIDS		4995	108-10-1	4-Methyl-2-pentanone (MIBK)	100 to 500	Assigned Value ±50% fixed acceptance limit				50
SOLIDS		5000	1634-04-4	Methyl tert-butyl ether (MTBE)	20 to 200	Assigned Value ±40% fixed acceptance limit				12
<b>Medium Level Volatile Aromatics <sup>1</sup></b>										
					µg/kg					µg/kg
SOLIDS		4375	71-43-2	Benzene	1000 to 10000	Assigned Value ±25% fixed acceptance limit				750
SOLIDS		4475	108-90-7	Chlorobenzene	1000 to 10000	Assigned Value ±25% fixed acceptance limit				750
SOLIDS		4610	95-50-1	1,2-Dichlorobenzene (o-Dichlorobenzene)	1000 to 10000	Assigned Value ±25% fixed acceptance limit				750
SOLIDS		4615	541-73-1	1,3-Dichlorobenzene (m-Dichlorobenzene)	1000 to 10000	1.0087	-3.5854	0.0610	72.1547	606
SOLIDS		4620	106-46-7	1,4-Dichlorobenzene (p-Dichlorobenzene)	1000 to 10000	0.9814	78.8567	0.0672	45.0983	723
SOLIDS		4765	100-41-4	Ethylbenzene	1000 to 10000	Assigned Value ±30% fixed acceptance limit				700
SOLIDS		5005	91-20-3	Naphthalene	2000 to 10000	1.0092	-147.4204	0.0896	204.0207	721
SOLIDS		5100	100-42-5	Styrene	2000 to 10000	Assigned Value ±40% fixed acceptance limit				1200
SOLIDS		5140	108-88-3	Toluene	1000 to 10000	Assigned Value ±25% fixed acceptance limit				750
SOLIDS		5155	120-82-1	1,2,4-Trichlorobenzene	2000 to 10000	Assigned Value ±40% fixed acceptance limit				1200
SOLIDS		5260	1330-20-7	Xylene (total) <sup>8</sup>	2000 to 20000	Assigned Value ±30% fixed acceptance limit				700



**NELAC PT for Accreditation**  
**Fields of Proficiency Testing with PTRLs**  
**Solid and Chemical Materials**  
**Effective: October 1, 2020**

Blue = New Analyte

Magenta = Changes

Matrix	EPA Analyte Code	NELAC Analyte Code	CAS Number	Analyte <sup>1,2</sup>	Conc Range	Acceptance Criteria <sup>3,4,5,6</sup>				NELAC PTRL <sup>7</sup>
						a	b	c	d	
<b>Medium Level Volatile Halocarbons <sup>1</sup></b>										
					<b>µg/kg</b>				<b>µg/kg</b>	
SOLIDS	4395		75-27-4	Bromodichloromethane	1000 to 10000	Assigned Value ±35% fixed acceptance limit				650
SOLIDS	4400		75-25-2	Bromoform	1000 to 10000	Assigned Value ±40% fixed acceptance limit				600
SOLIDS	4455		56-23-5	Carbon tetrachloride	1000 to 10000	0.9879	26.1250	0.1091	69.0570	480
SOLIDS	4505		67-66-3	Chloroform	1000 to 10000	Assigned Value ±30% fixed acceptance limit				700
SOLIDS	4575		124-48-1	Chlorodibromomethane	1000 to 10000	Assigned Value ±30% fixed acceptance limit				700
SOLIDS	4570		96-12-8	1,2-Dibromo-3-chloropropane (DBCP)	2000 to 10000	Assigned Value ±40% fixed acceptance limit				1200
SOLIDS	4585		106-93-4	1,2-Dibromoethane (EDB, Ethylene dibromide)	2000 to 10000	Assigned Value ±40% fixed acceptance limit				1200
SOLIDS	4595		74-95-3	Dibromomethane (Methylene bromide)	2000 to 10000	Assigned Value ±40% fixed acceptance limit				1200
SOLIDS	4630		75-34-3	1,1-Dichloroethane	1000 to 10000	Assigned Value ±35% fixed acceptance limit				650
SOLIDS	4635		107-06-2	1,2-Dichloroethane (Ethylene dichloride)	1500 to 10000	0.9960	32.3273	0.0711	81.3421	930
SOLIDS	4640		75-35-4	1,1-Dichloroethylene	2000 to 10000	Assigned Value ±50% fixed acceptance limit				1000
SOLIDS	4645		156-59-2	cis-1,2-Dichloroethylene	2000 to 10000	Assigned Value ±40% fixed acceptance limit				1200
SOLIDS	4700		156-60-5	trans-1,2-Dichloroethylene	2000 to 10000	Assigned Value ±40% fixed acceptance limit				1200
SOLIDS	4975		75-09-2	Methylene chloride (Dichloromethane)	1000 to 10000	Assigned Value ±40% fixed acceptance limit				600
SOLIDS	4655		78-87-5	1,2-Dichloropropane	2000 to 10000	Assigned Value ±30% fixed acceptance limit				1400
SOLIDS	4680		10061-01-5	cis-1,3-Dichloropropene	2000 to 10000	Assigned Value ±40% fixed acceptance limit				1200
SOLIDS	4685		10061-02-6	trans-1,3-Dichloropropene	2000 to 10000	Assigned Value ±40% fixed acceptance limit				1200
SOLIDS	5105		630-20-6	1,1,1,2-Tetrachloroethane	1000 to 10000	0.9905	84.3577	0.0715	113.3756	520
SOLIDS	5110		79-34-5	1,1,2,2-Tetrachloroethane	1500 to 10000	0.9884	-45.8370	0.0927	188.2879	455
SOLIDS	5115		127-18-4	Tetrachloroethylene (Perchloroethylene)	1000 to 10000	1.0045	93.5934	0.1125	4.6555	747
SOLIDS	5160		71-55-6	1,1,1-Trichloroethane	1000 to 10000	Assigned Value ±40% fixed acceptance limit				600
SOLIDS	5165		79-00-5	1,1,2-Trichloroethane	1000 to 10000	Assigned Value ±35% fixed acceptance limit				650
SOLIDS	5170		79-01-6	Trichloroethene (Trichloroethylene)	1000 to 10000	0.9971	67.2206	0.0840	56.3450	643
SOLIDS	5180		96-18-4	1,2,3-Trichloropropane	1500 to 10000	Assigned Value ±45% fixed acceptance limit				825
<b>Medium Level Volatile Ketone/Ethers <sup>1</sup></b>										
					<b>µg/kg</b>				<b>µg/kg</b>	
SOLIDS	4315		67-64-1	Acetone	4000 to 20000	0.9105	-72.7923	0.2023	70.9627	929
SOLIDS	4410		78-93-3	2-Butanone (Methyl ethyl ketone, MEK)	4000 to 20000	0.8688	472.7627	0.1877	295.7230	808
SOLIDS	4860		591-78-6	2-Hexanone	4000 to 20000	Assigned Value ±50% fixed acceptance limit				2000
SOLIDS	4995		108-10-1	4-Methyl-2-pentanone (MIBK)	4000 to 20000	Assigned Value ±50% fixed acceptance limit				2000
SOLIDS	5000		1634-04-4	Methyl tert-butyl ether (MTBE)	2000 to 10000	Assigned Value ±30% fixed acceptance limit				1400
<b>Volatile Petroleum Hydrocarbons</b>										
					<b>mg/kg</b>				<b>mg/kg</b>	
SOLIDS	9408		8006-61-9	Gasoline Range Organics (GRO) <sup>9</sup>	100 to 2000	Study Mean	0.1900	74.9808	10	



**NELAC PT for Accreditation**  
**Fields of Proficiency Testing with PTRLs**  
**Solid and Chemical Materials**  
**Effective: October 1 , 2020**

Blue = New Analyte

Magenta = Changes

Matrix	EPA Analyte Code	NELAC Analyte Code	CAS Number	Analyte <sup>1,2</sup>	Conc Range	Acceptance Criteria <sup>3,4,5,6</sup>				NELAC PTRL <sup>7</sup>
						a	b	c	d	
				<b>Base/Neutrals <sup>1</sup></b>	<b>µg/kg</b>					<b>µg/kg</b>
SOLIDS	5500	5500	83-32-9	Acenaphthene	1000 to 12000	Study Mean		0.1967	2.4526	100
SOLIDS	5505	5505	208-96-8	Acenaphthylene	1000 to 12000	Study Mean		0.2110	0.8053	100
SOLIDS	5555	5555	120-12-7	Anthracene	1000 to 12000	Study Mean		0.1677	68.9191	100
SOLIDS	5575	5575	56-55-3	Benzo(a)anthracene	1000 to 12000	Study Mean		0.1671	20.6877	100
SOLIDS	5585	5585	205-99-2	Benzo(b)fluoranthene	1000 to 12000	Study Mean		0.1929	23.6955	100
SOLIDS	5600	5600	207-08-9	Benzo(k)fluoranthene	1000 to 12000	Study Mean		0.1966	5.3583	100
SOLIDS	5590	5590	191-24-2	Benzo(g,h,i)perylene	1000 to 12000	Study Mean		0.1958	26.7399	100
SOLIDS	5580	5580	50-32-8	Benzo(a)pyrene	1000 to 12000	Study Mean		0.1801	66.9233	100
SOLIDS	5660	5660	101-55-3	4-Bromophenyl phenyl ether (BDE-3)	1500 to 15000	Study Mean		0.1949	25.3431	150
SOLIDS	5670	5670	85-68-7	Butyl benzyl phthalate	1000 to 12000	Study Mean		0.2095	16.2887	100
SOLIDS	5765	5765	111-44-4	bis(2-Chloroethyl) ether	1500 to 15000	Study Mean		0.2158	173.8570	150
SOLIDS	5760	5760	111-91-1	bis(2-Chloroethoxy)methane	1000 to 12000	Study Mean		0.1953	88.5249	100
SOLIDS	4659	4659	108-60-1	2,2'-Oxybis(1-chloropropane), bis(2-Chloro-1-methylethyl)ether <sup>13</sup>	1500 to 15000	Study Mean		0.2515	26.3474	150
SOLIDS	5795	5795	91-58-7	2-Chloronaphthalene	1000 to 12000	Study Mean		0.2181	6.8913	100
SOLIDS	5825	5825	7005-72-3	4-Chlorophenyl phenylether	1000 to 12000	Study Mean		0.2077	5.9161	100
SOLIDS	5855	5855	218-01-9	Chrysene	1000 to 12000	Study Mean		0.1626	29.1501	100
SOLIDS	5895	5895	53-70-3	Dibenz(a,h) anthracene	1000 to 12000	Study Mean		0.1868	81.9994	100
SOLIDS	5905	5905	132-64-9	Dibenzofuran	1500 to 15000	Study Mean		0.1772	34.8698	150
SOLIDS	4610	4610	95-50-1	1,2-Dichlorobenzene (o-Dichlorobenzene)	1500 to 15000	Study Mean		0.2786	81.9879	150
SOLIDS	4615	4615	541-73-1	1,3-Dichlorobenzene (m-Dichlorobenzene)	1500 to 15000	Study Mean		0.3292	69.8039	150
SOLIDS	4620	4620	106-46-7	1,4-Dichlorobenzene (p-Dichlorobenzene)	1500 to 15000	Study Mean		0.3249	28.1719	150
SOLIDS	6070	6070	84-66-2	Diethyl phthalate	1000 to 12000	Study Mean		0.1952	14.2186	100
SOLIDS	6135	6135	131-11-3	Dimethyl phthalate	1000 to 12000	Study Mean		0.1898	37.0036	100
SOLIDS	5925	5925	84-74-2	Di-n-butyl phthalate	1000 to 12000	Study Mean		0.2232	24.5306	100
SOLIDS	6185	6185	121-14-2	2,4-Dinitrotoluene (2,4-DNT)	1500 to 15000	Study Mean		0.1901	59.3569	150
SOLIDS	6190	6190	606-20-2	2,6-Dinitrotoluene (2,6-DNT)	1500 to 15000	Study Mean		0.1804	16.8136	150
SOLIDS	6200	6200	117-84-0	Di-n-octyl phthalate	1000 to 12000	Study Mean		0.2306	52.0201	100
SOLIDS	6065	6065	117-81-7	Di(2-ethylhexyl) phthalate (bis(2-Ethylhexyl)phthalate, DEHP)	1500 to 15000	Study Mean		0.2109	100.6288	150
SOLIDS	6265	6265	206-44-0	Fluoranthene	1000 to 12000	Study Mean		0.1909	27.4902	100
SOLIDS	6270	6270	86-73-7	Fluorene	1000 to 12000	Study Mean		0.1714	57.1721	100
SOLIDS	4840	4840	67-72-1	Hexachloroethane	1500 to 15000	Study Mean		0.3365	0.7453	150
SOLIDS	6275	6275	118-74-1	Hexachlorobenzene	1500 to 15000	Study Mean		0.1713	4.7899	150
SOLIDS	4835	4835	87-68-3	Hexachlorobutadiene	1500 to 15000	Study Mean		0.2252	61.2677	150
SOLIDS	6315	6315	193-39-5	Indeno(1,2,3-cd) pyrene	1000 to 12000	Study Mean		0.2577	6.0686	100



**NELAC PT for Accreditation**  
**Fields of Proficiency Testing with PTRLs**  
**Solid and Chemical Materials**  
**Effective: October 1 , 2020**

Blue = New Analyte

Magenta = Changes

Matrix	EPA Analyte Code	NELAC Analyte Code	CAS Number	Analyte <sup>1,2</sup>	Conc Range	Acceptance Criteria <sup>3,4,5,6</sup>				NELAC PTRL <sup>7</sup>
						a	b	c	d	
<b>Base/Neutrals cont' <sup>1</sup></b>										
						µg/kg				
SOLIDS		6320	78-59-1	Isophorone	1500 to 15000	Study Mean	0.2107	52.3126	150	
SOLIDS		6385	91-57-6	2-Methylnaphthalene	1000 to 12000	Study Mean	0.2027	28.7219	100	
SOLIDS		5005	91-20-3	Naphthalene	1000 to 12000	Study Mean	0.2408	35.4651	100	
SOLIDS		5015	98-95-3	Nitrobenzene	1500 to 15000	Study Mean	0.2129	84.7934	150	
SOLIDS		6545	621-64-7	n-Nitrosodi-n-propylamine	1500 to 15000	Study Mean	0.2463	5.3389	150	
SOLIDS		6615	85-01-8	Phenanthrene	1000 to 12000	Study Mean	0.1801	5.2498	100	
SOLIDS		6665	129-00-0	Pyrene	1000 to 12000	Study Mean	0.2025	15.1287	100	
SOLIDS		5155	120-82-1	1,2,4-Trichlorobenzene	1500 to 15000	Study Mean	0.1952	170.2017	150	
<b>Acids <sup>1</sup></b>										
						µg/kg				
SOLIDS		5700	59-50-7	4-Chloro-3-methylphenol	1500 to 15000	Study Mean	0.1989	52.6198	150	
SOLIDS		5800	95-57-8	2-Chlorophenol	1500 to 15000	Study Mean	0.2418	15.4376	150	
SOLIDS		6000	120-83-2	2,4-Dichlorophenol	1500 to 15000	Study Mean	0.2092	70.7176	150	
SOLIDS		6400	95-48-7	2-Methylphenol (o-Cresol)	3000 to 15000	Study Mean	0.2419	113.6401	300	
SOLIDS		6410	106-44-5	4-Methylphenol (p-Cresol) <sup>10</sup>	3000 to 15000	Study Mean ±3SD			300	
SOLIDS		6490	88-75-5	2-Nitrophenol	3000 to 15000	Study Mean	0.2513	18.3228	300	
SOLIDS		6500	100-02-7	4-Nitrophenol	3000 to 15000	Study Mean	0.3639	171.2300	300	
SOLIDS		6625	108-95-2	Phenol	1500 to 15000	Study Mean	0.2381	26.3795	150	
SOLIDS		6605	87-86-5	Pentachlorophenol	3000 to 15000	Study Mean	0.2714	282.8578	300	
SOLIDS		6835	95-95-4	2,4,5-Trichlorophenol	1500 to 15000	Study Mean	0.2309	17.6405	150	
SOLIDS		6840	88-06-2	2,4,6-Trichlorophenol	1500 to 15000	Study Mean	0.2031	72.3886	150	
<b>PCBs <sup>2</sup></b>										
						mg/kg				
SOLIDS		8880	12674-11-2	Aroclor-1016 (PCB-1016)	1 to 50	Study Mean	0.2239	0.1196	0.1	
SOLIDS		8885	11104-28-2	Aroclor-1221 (PCB-1221)	1 to 50	Study Mean	0.2239	0.1196	0.1	
SOLIDS		8890	11141-16-5	Aroclor-1232 (PCB-1232)	1 to 50	Study Mean	0.2239	0.1196	0.1	
SOLIDS		8895	53469-21-9	Aroclor-1242 (PCB-1242)	1 to 50	Study Mean	0.2239	0.1196	0.1	
SOLIDS		8900	12672-29-6	Aroclor-1248 (PCB-1248)	1 to 50	Study Mean	0.2239	0.1196	0.1	
SOLIDS		8905	11097-69-1	Aroclor-1254 (PCB-1254)	1 to 50	Study Mean	0.2239	0.1196	0.1	
SOLIDS		8910	11096-82-5	Aroclor-1260 (PCB-1260)	1 to 50	Study Mean	0.2239	0.1196	0.1	
<b>PCBs in Oil <sup>2</sup></b>										
						mg/kg				
OIL		8880	12674-11-2	Aroclor-1016 (PCB-1016)	10 to 50	0.7712	1.1019	0.1919	0.7331	0.86
OIL		8885	11104-28-2	Aroclor-1221 (PCB-1221)	12 to 50	0.7712	1.1019	0.1919	0.7331	1.25
OIL		8890	11141-16-5	Aroclor-1232 (PCB-1232)	12 to 50	0.7712	1.1019	0.1919	0.7331	1.25
OIL		8895	53469-21-9	Aroclor-1242 (PCB-1242)	10 to 50	0.7712	1.1019	0.1919	0.7331	0.86
OIL		8900	12672-29-6	Aroclor-1248 (PCB-1248)	12 to 50	0.7712	1.1019	0.1919	0.7331	1.25
OIL	0100	8905	11097-69-1	Aroclor-1254 (PCB-1254)	10 to 50	0.7712	1.1019	0.1919	0.7331	0.86
OIL	0101	8910	11096-82-5	Aroclor-1260 (PCB-1260)	10 to 50	0.7712	1.1019	0.1919	0.7331	0.86



**NELAC PT for Accreditation**  
**Fields of Proficiency Testing with PTRLs**  
**Solid and Chemical Materials**  
**Effective: October 1, 2020**

Blue = New Analyte

Magenta = Changes

Matrix	EPA Analyte Code	NELAC Analyte Code	CAS Number	Analyte <sup>1,2</sup>	Conc Range	Acceptance Criteria <sup>3,4,5,6</sup>				NELAC PTRL <sup>7</sup>	
						a	b	c	d		
<b>Organochlorine Pesticides <sup>1</sup></b>											
					<b>µg/kg</b>				<b>µg/kg</b>		
SOLIDS		7025	309-00-2	Aldrin	50	to	500	Study Mean	0.2024	1.8529	5.0
SOLIDS		7110	319-84-6	alpha-BHC (alpha-Hexachlorocyclohexane)	50	to	500	Study Mean	0.2004	3.1776	5.0
SOLIDS		7115	319-85-7	beta-BHC (beta-Hexachlorocyclohexane)	50	to	500	Study Mean	0.1788	9.4062	5.0
SOLIDS		7105	319-86-8	delta-BHC	50	to	500	Study Mean	0.2041	5.5821	5.0
SOLIDS		7120	58-89-9	gamma-BHC (Lindane, gamma-HexachlorocyclohexanE)	50	to	500	Study Mean	0.1955	6.0037	5.0
SOLIDS		7240	5103-71-9	cis-Chlordane, alpha-Chlordane	50	to	500	Study Mean	0.1876	0.6823	5.0
SOLIDS		7245	5566-34-7	gamma-Chlordane	50	to	500	Study Mean	0.1666	2.0584	5.0
SOLIDS		7250	12789-03-6	Chlordane (tech.)	100	to	1000	Study Mean	0.2357	1.1633	10
SOLIDS		7355	72-54-8	4,4'-DDD <sup>14a</sup>	50	to	500	Study Mean	0.1697	8.1705	5.0
SOLIDS		7360	72-55-9	4,4'-DDE <sup>14a</sup>	50	to	500	Study Mean	0.1818	4.4461	5.0
SOLIDS		7365	50-29-3	4,4'-DDT <sup>14a</sup>	50	to	500	Study Mean	0.2243	2.6522	5.0
SOLIDS		7470	60-57-1	Dieldrin	50	to	500	Study Mean	0.1672	4.0365	5.0
SOLIDS		7510	959-98-8	Endosulfan I	50	to	500	Study Mean	0.1824	5.0749	5.0
SOLIDS		7515	33213-65-9	Endosulfan II	50	to	500	Study Mean	0.2026	3.2251	5.0
SOLIDS		7520	1031-07-8	Endosulfan sulfate	50	to	500	Study Mean	0.2361	2.5159	5.0
SOLIDS		7540	72-20-8	Endrin <sup>14b</sup>	50	to	500	Study Mean	0.1435	7.1706	5.0
SOLIDS		7530	7421-93-4	Endrin aldehyde <sup>14b</sup>	50	to	500	Study Mean	0.2309	10.0975	5.0
SOLIDS		7535	53494-70-5	Endrin ketone <sup>14b</sup>	50	to	500	Study Mean	0.2190	2.7268	5.0
SOLIDS		7685	76-44-8	Heptachlor	50	to	500	Study Mean	0.1911	2.5619	5.0
SOLIDS		7690	1024-57-3	Heptachlor epoxide	50	to	500	Study Mean	0.1786	2.4451	5.0
SOLIDS		7810	72-43-5	Methoxychlor	50	to	500	Study Mean	0.2696	6.0889	5.0
SOLIDS		8250	8001-35-2	Toxaphene (Chlorinated Camphene)	200	to	2000	Study Mean ±3SD			20
<b>Herbicides <sup>1</sup></b>											
					<b>µg/kg</b>				<b>µg/kg</b>		
SOLIDS		8545	94-75-7	2,4-D	100	to	1000	Study Mean ±3SD			10
SOLIDS		8560	94-82-6	2,4-DB	100	to	1000	Study Mean ±3SD			10
SOLIDS		8595	1918-00-9	Dicamba	100	to	1000	Study Mean ±3SD			10
SOLIDS		8620	88-85-7	Dinoseb (2-sec-butyl-4,6-dinitrophenol, DNBP)	100	to	1000	Study Mean ±3SD			10
SOLIDS		6605	87-86-5	Pentachlorophenol	100	to	1000	Study Mean ±3SD			10
SOLIDS		8655	93-76-5	2,4,5-T	100	to	1000	Study Mean ±3SD			10
SOLIDS		8650	93-72-1	Silvex (2,4,5-TP)	100	to	1000	Study Mean ±3SD			10





**NELAC PT for Accreditation**  
**Fields of Proficiency Testing with PTRLs**  
**Solid and Chemical Materials**  
**Effective: October 1 , 2020**

Blue = New Analyte

Magenta = Changes

Matrix	EPA Analyte Code	NELAC Analyte Code	CAS Number	Analyte <sup>1,2</sup>	Conc Range	Acceptance Criteria <sup>3,4,5,6</sup>				NELAC PTRL <sup>7</sup>
						a	b	c	d	
<b>Petroleum Hydrocarbons</b>										mg/kg
SOLIDS		9369	68334-30-5	Diesel Range Organics (DRO) <sup>11</sup>	300 to 3000	Study Mean		0.2097	7.5527	30
SOLIDS		1803	NA	n-Hexane Extractable Material (O&G) <sup>12</sup>	300 to 3000	Study Mean		0.1567	88.0394	30
<b>Low Level Polyaromatic Hydrocarbons (PAHs) <sup>1</sup></b>										µg/kg
SOLIDS		5500	83-32-9	Acenaphthene	100 to 1000	Study Mean		0.2258	2.4018	15
SOLIDS		5505	208-96-8	Acenaphthylene	150 to 1000	Study Mean		0.3181	4.1175	15
SOLIDS		5555	120-12-7	Anthracene	100 to 1000	Study Mean		0.1839	3.1705	10
SOLIDS		5575	56-55-3	Benzo(a)anthracene	50 to 500	Study Mean		0.1562	2.8639	5.0
SOLIDS		5585	205-99-2	Benzo(b)fluoranthene	50 to 500	Study Mean		0.1370	3.1001	5.0
SOLIDS		5600	207-08-9	Benzo(k)fluoranthene	50 to 500	Study Mean		0.1300	5.4343	5.0
SOLIDS		5590	191-24-2	Benzo(g,h,i)perylene	50 to 500	Study Mean		0.1724	4.5522	10
SOLIDS		5580	50-32-8	Benzo(a)pyrene	50 to 500	Study Mean		0.1771	3.7794	5.0
SOLIDS		5855	218-01-9	Chrysene	50 to 500	Study Mean		0.1884	0.0425	5.0
SOLIDS		5895	53-70-3	Dibenz(a,h) anthracene	50 to 500	Study Mean		0.1591	2.6430	5.0
SOLIDS		6265	206-44-0	Fluoranthene	50 to 500	Study Mean		0.1529	3.9780	10
SOLIDS		6270	86-73-7	Fluorene	50 to 500	Study Mean		0.2169	2.2266	5.0
SOLIDS		6315	193-39-5	Indeno(1,2,3-cd) pyrene	50 to 500	Study Mean		0.1330	6.2268	5.0
SOLIDS		5005	91-20-3	Naphthalene	150 to 1000	Study Mean		0.3079	1.5325	15
SOLIDS		6615	85-01-8	Phenanthrene	100 to 1000	Study Mean		0.1921	0.1970	10
SOLIDS		6665	129-00-0	Pyrene	50 to 500	Study Mean		0.1816	2.1374	5.0



**NELAC PT for Accreditation**  
**Fields of Proficiency Testing with PTRLs**  
**Solid and Chemical Materials**  
**Effective: October 1 , 2020**

Blue = New Analyte

Magenta = Changes

Matrix	EPA Analyte Code	NELAC Analyte Code	CAS Number	Analyte <sup>1,2</sup>	Conc Range	Acceptance Criteria <sup>3,4,5,6</sup>				NELAC PTRL <sup>7</sup>
						a	b	c	d	

1) For volatiles, base/neutrals, acids, organochlorine pesticides, herbicides and low level PAHs standards, providers must include a minimum number of analytes using the criteria described below:

PT samples that are to be scored for one to ten analytes must include all of these analytes.

PT samples that are to be scored for ten to twenty analytes must include at least ten of these analytes or 80% of the total, whichever number is greater.

PT samples that are to be scored for more than twenty analytes must include at least sixteen of these analytes or 60% of the total, whichever number is greater.

If the calculated percentage of the total number of analytes in the PT sample is a fraction, the fraction shall be rounded up to the next whole number.

2) One sample in every study, containing one Aroclor, selected at random from among the Aroclors listed above.

3) Acceptance limits are set at the Mean  $\pm$  3 Standard Deviations (SD).

Where the a, b, c and d factors are presented, Mean =  $a \cdot T + b$ ; SD =  $c \cdot T + d$  where T is the assigned value.

Where the c and d factors are presented, Mean = Robust Study Mean; SD =  $c \cdot X + d$  where X is the Robust Study Mean.

Where no factors are presented (Study Mean  $\pm$ 3SD), Mean = Robust Study Mean, SD = Robust Study Standard Deviation.

Robust Study Mean and Standard Deviation are generated using statistical analysis of study data set. (ie. Bi-weight, Grubbs, Dixon, etc.)

4) If the lower acceptance limit generated using the criteria contained in this table is less than 10% of the assigned value or the PTRL, the lower acceptance limits are set at 10% of the assigned value or the PTRL whichever is higher.

5) If the lower acceptance limit generated using the criteria contained in this table is greater than 90% of the assigned value, the lower acceptance limits are set at 90% of the assigned value except where fixed limits are used.

6) If the upper acceptance limit generated using the criteria contained in this table is less than 110% of the assigned value, the upper acceptance limits are set at 110% of the assigned value except where fixed limits are used.

7) NELAC Proficiency Testing Reporting Limits (PTRLs) are provided as guidance to laboratories analyzing NELAC PT samples. At a minimum, the laboratory should use a method that is sensitive enough to generate quantitative results at the PTRLs shown. NELAC PTRLs are also provided as guidance to PT Providers. At a minimum for all analytes with an assigned value equal to <PTRL, the PT Provider should verify that the PT sample does not contain the analyte at a concentration greater than or equal to the PTRL.

8) Volatiles Aromatics must contain all three Xylene isomers. The concentration range of o-Xylene and m&p-Xylene is 20-200 ug/kg or 1000-10000 (Medium Level) each.

9) Gasoline Range Organics (GRO) per purge-and-trap extraction followed by chromatographic analysis. GRO is defined as the carbon range between n-C<sub>5</sub> and n-C<sub>10</sub>.

10) Laboratories seeking to report data for Solid and Chemical Material analyte 4-Methylphenol or the coeluting isomer pair of 3-Methylphenol and 4-Methylphenol must report the data as 4-Methylphenol.

11) Diesel Range Organics (DRO) per solvent extraction followed by chromatographic analysis. DRO is defined as the carbon range between n-C<sub>10</sub> and n-C<sub>28</sub>.



**NELAC PT for Accreditation**  
**Fields of Proficiency Testing with PTRLs**  
**Solid and Chemical Materials**  
**Effective: October 1 , 2020**

Blue = New Analyte

Magenta = Changes

Matrix	EPA Analyte Code	NELAC Analyte Code	CAS Number	Analyte <sup>1,2</sup>	Conc Range	Acceptance Criteria <sup>3,4,5,6</sup>				NELAC PTRL <sup>7</sup>
						a	b	c	d	

12) n-Hexane Extractable Material (HEM) per solvent extraction followed by gravimetric or infrared spectrometric analysis (Oil & Grease).

13) Also known as Bis(2-chloro-1-methylethyl) Ether, formerly known as Bis(2-chloroisopropyl) Ether.

14) These analytes are specified as part of a method defined and evaluated degradation process. PT sample designs for these analytes must conform to the following:

- a) If the parent compound 4,4'-DDT is spiked into the PT sample, then its degradation products, 4,4'-DDD and 4,4'-DDE, must also be spiked into that PT sample.
- b) If the parent compound Endrin is spiked into the PT sample, then its degradation products, Endrin aldehyde and Endrin ketone, must also be spiked into that PT sample.